



Direct & Indirect Adapter Inquiry Form

Name: _____ Date: _____

Title: _____ Company Name: _____

Telephone No. _____ Fax No. _____

Email: _____ Project #: _____

Enterprise Part Number: _____

1. Construction Type:

- Wall-mount (direct plug-in) Adapter
- Desk-top (cord connected) Power Supply
- Other: _____

2. Input Configuration:

- North America Europlug (CEE 7/16) Australia (AS 3112)
- United Kingdom IEC 320 Other: _____

3. AC Input Rating:

- Single Input
 - 120VAC, 60Hz. 100VAC, 50Hz. 220VAC, 50Hz
- 230VAC, 50Hz. 240VAC, 50Hz. Other: _____
- Dual Selectable Input
 - 120VAC, 60Hz. / 230VAC, 50Hz. Other: _____
- Universal Input (90VAC - 260VAC)

4. Output Type: AC DC unregulated DC regulated Switch-mode

5. Output Ratings:	Load Current Regulation			Ripple	
<u>Output</u>	<u>Voltage</u>	<u>(mA)</u>	<u>Line%</u>	<u>Load%</u>	<u>(P-P)</u>
#1	_____	_____	_____	_____	_____
#2	_____	_____	_____	_____	_____
#3	_____	_____	_____	_____	_____

6. Output Cord Length: 4ft. (1219mm) 6ft. (1829mm) Other: _____

7. Output Plug Options:

Stripped & Tinned Ends Straight Plug Right-angle

Female

ME1 (2.5 x 5.5mm) ME2 (2.1 x 5.5mm)

ME5 (2.5 x 5.0mm) ME6 (2.1 x 5.0mm)

Other: _____

Male

LB1 (3.5mm) LB2 (2.3mm) Mini-Din

DIN Other: _____

Plug Barrel Length: 9.5mm 10mm 12mm Other: _____

8. Output Plug Polarity: Center / Tip Positive Center / Tip Negative

9. Operating Ambient Temperature: Room Temperature Other: _____°C

10. Safety Agency Approvals:

Listing/Certification/Licensing Required Compliant only

None UL c-UL/CSA TÜV SAA Other: _____

11. Quotation Quantities:

1k 2.5k 5k 10k 25k 50k

Other: _____

12. Application Description and/or Special Instructions:
